# EntriWorX Unit 92 40 Control unit and interface

**Key Figures** 

Lifetime per unit: 15 years Weight per unit: 0.9 kg Electricity use per year: 54 kWh Production location: Villingen-Schwenningen, Germany

#### **Production standards**

Quality	Environmental	Occupational Health & Safety	Energy	Produced with green electricity
ISO 9001 certified	ISO 14001 certified	ISO 45001 certified		¥

#### **Product declarations**

Environmental Product Declaration	Health Product Declaration	Building Product Declaration	SuPIM Data Sheet
✓	~		✓

#### Material used (%)

■ Plastics ■ Paper ■ Electronics ■ Steel



## The GWP<sup>1</sup> across the life cycle is 429 kg $CO_2e$

This is similar to the CO<sub>2</sub> produced from a road trip with a diesel mid-range car from Mumbai to New Delhi



<sup>1</sup> Carbon dioxide equivalent (CO<sub>2</sub>e) is the universal unit of measurement to indicate the global warming potential (GWP) of each of the six greenhouse gases, expressed in terms of the GWP of one unit of carbon dioxide. It is used to evaluate releasing (or avoiding releasing) different greenhouse gases against a common basis.



Scan the QR code or click here for more information about sustainability



Scan the QR code or click here for more information about our sustainability product declaration.



#### Description

The EntriWorX Unit 92 40 is the central control unit for different domains like access control, escape route management and door sequence control. It is capable of managing simple or even complex entrance and exit door configurations. Based on a state-of-the-art operating system the EntriWorX Control Unit is a modern IoT edge device respecting IT security requirements and enabling connectivity to cloud services.

### Total Global Warming Potential per life cycle stage (kg $CO_2e$ )



0.003	1.1	0.0004	
			-1.2
Transport	Waste processing	Disposal	Reuse / recycling potential