BEST FBB191 Standard Weight Hinges Full Mortise Stainless Steel by dormakaba

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 914097152 CLASSIFICATION: 08 71 00 Door Hardware

PRODUCT DESCRIPTION: The BEST hinges are intended for the use on heavy doors or doors where high frequency is expected such as entrance doors to office buildings, stores, public buildings and corridor entrance doors to offices. All hinges have a template screw hole location for the use on either wood or hollow metal doors and frames. They are equipped with four permanently lubricated non-detachable ball bearings. The pins in the non-ferrous hinges are stainless steel and the hole in bottom tip is for easy pin removal.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm

O Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

O Not Completed

Explanation(s) provided:

Yes O No.

For all contents above the threshold, the manufacturer has: Characterized Yes ○ No

Provided weight and role.

Screened ⊙ Yes ○ No

Provided screening results using HPDC-approved

methods.

 Yes No Identified

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BEST FBB191 STANDARD WEIGHT HINGES FULL MORTISE STAINLESS STEEL [STAINLESS STEEL NoGS KRAFT PAPER NoGS BRASS LT-1 | CAN | DEV | PBT | REP | AQU PAINT NoGS COPPER LT-P1 | MUL | AQU | GEN | EYE | MAM | SKI]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -Zero VOC emissions

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2023-07-04** PUBLISHED DATE: 2023-07-11 EXPIRY DATE: 2026-07-04

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

BEST FBB191 STANDARD WEIGHT HINGES FULL MORTISE STAINLESS STEEL

SUBSTANCE NOTES: Satinless steel is used for screws, springs and steel sheet parts.

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED:

ID: 12597-68-1

Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

STAINLESS STEEL

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-07-04 1:42:43 SUBSTANCE ROLE: Hardware %: 93.3900 GreenScreen: NoGS RC: UNK NANO: No **HAZARD TYPE** LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** None found No listings found on Additional Hazard Lists

KRAFT PAPER			ID: Not registered
HAZARD DATA SOURC	E: Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2023-07-11 1:00:55
%: 3.8840	GreenScreen: NoGS	RC: UNK	NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
None found			No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTING	S LIST NAME AND SOURCE		NOTIFICATION
None found			No listings found on Additional Hazard Lists
SUBSTANCE NOTES:	Kraft paper is used for packaging for BEST F	BB191	

BRASS ID: 86376-49-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-07-04 1:42:43

%: 2.6600	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOUR	CE	WARNINGS	
CAN	CA EPA - Prop 65		Carcinogen	
CAN	US NIH - Report on Car	rcinogens	Reasonably Antic	cipated to be Human Carcinogen
DEV	G&L - Neurotoxic Chen	nicals	Developmental N	leurotoxicant
PBT	US EPA - Toxics Releas	se Inventory PBTs	PBT	
REP	GHS - Korea		-	age fertility or the unborn child xicity - Category 1]
AQU	GHS - Korea		-	to aquatic life [Hazardous to the nent (acute) - Category 1]
AQU	GHS - Korea		-	to aquatic life with long lasting effects e aquatic environment (chronic) -
ADDITIONAL LISTINGS	LIST NAME AND SOUR	CE	NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precaution	nary List
			Precautionary list	t of substances recommended for
RESTRICTED LIST	Green Science Policy In	nstitute (GSPI)	GSPI - Six Classe	es of Problematic Chemicals
			Certain Metals	
RESTRICTED LIST	Cradle to Cradle Produ Institute (C2CPII)	cts Innovation		Product Standard Restricted (RSL) - Effective July 1, 2022
			Core Restrictions	S
RESTRICTED LIST	Cradle to Cradle Produ Institute (C2CPII)	cts Innovation		Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and Er	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Produ Institute (C2CPII)	cts Innovation		Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	cts
RESTRICTED LIST	Cradle to Cradle Produ Institute (C2CPII)	cts Innovation		Product Standard Restricted (RSL) - Effective July 1, 2022
			Footwear, Appar	el & Jewelry Products

SUBSTANCE NOTES: Brass is used for bearings in BEST FBB191.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-07-04 1:47:39

%: 0.0462 GreenScreen: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Water based paint is used in BEST FBB191.

COPPER				ID: 7440-50-8
HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD So			CREENING DATE: 2023-07-11 0:58:23	
%: 0.0132	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Haza Waters	irdous to	Class 2 - Hazard	to Waters
AQU	EU - GHS (H-Statements) Annex	6 Table 3-1		quatic life with long lasting effects e aquatic environment (chronic) -
GEN	GHS - New Zealand		Germ cell mutage	enicity category 1
EYE	GHS - New Zealand		Eye irritation cate	egory 2
MAM	GHS - Japan			amage to organs [Specific target toxicity following single exposure -
SKI	GHS - New Zealand		Skin sensitisation	n category 1
MAM	GHS - New Zealand		Acute inhalation	toxicity category 2
MAM	GHS - New Zealand		Acute oral toxicit	y category 2
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - acute category
AQU	GHS - New Zealand		Hazardous to the category 2	aquatic environment - chronic
AQU	GHS - Australia		H411 - Toxic to a	quatic life with long lasting effects

[Hazardous to the aquatic environment (chronic) -

Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Copper is used as electrolytic in BEST FBB191.



This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2023-07-04

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: Spectrum, Guangdong, China.

CERTIFICATE URL:

EXPIRY DATE:

CERTIFICATION AND COMPLIANCE NOTES: This HPD is for a product that is NOT liquid/wet applied.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein.

dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.

MANUFACTURER INFORMATION

MANUFACTURER: dormakaba
ADDRESS: No.11 Mulinsen Avenue

Xiaolan Town

Zhongshan City Guangdong 528415, China

WEBSITE: www.dormakaba.com

CONTACT NAME: www.bestaccess.com/support/contact-

customer-service/

TITLE: -PHONE: -

EMAIL: sustainability@dormakaba.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this