

CLASSIFICATION: 08 71 00 Door Hardware

PRODUCT DESCRIPTION: The centerpiece of the TS 98 XEA slide channel door closer system is the heart shaped cam. Together with the innovative, hydraulic functions, the TS 98 XEA system's unique Cam Action Technology makes it very comfortable to pass through the door. The door closer system in XEA design can be used for all installation types. As a result, the number of product variants and complexity in installation is reduced while simultaneously increasing flexibility at the construction site. A further plus point are three different closing ranges. The door closer has a standard delayed closing and backcheck. Adjustments are easily made from the front. Door widths up to 1,400 mm are covered. TS 98 XEA is usable down to 40°C.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

DOOR CLOSER TS 98 XEA INCLUDING SLIDE CHANNEL GN [IRON LT-P1 |
END STEEL NoGS ALUMINUM (PRIMARY CASRN IS 7429-90-5) BM-1 | RES
| PHY | END LUBRICATING OILS LT-1 | PBT | CAN | MUL PLASTICS, E.G.
GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN
SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT
NoGS BRASS NoGS ZINC LT-P1 | AQU | PHY | END | MUL]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Method. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

LCA: Environmental Product Declaration (EPD) by IBU

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-02-28

PUBLISHED DATE: 2020-03-04

EXPIRY DATE: 2023-02-28



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

DOOR CLOSER TS 98 XEA INCLUDING SLIDE CHANNEL GN

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-02-28

#: 44.05 GS: LT-P1 RC: Both NANO: No ROLE: Closer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Grey cast iron

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-02-28

#: 37.29 GS: NoGS RC: Both NANO: No ROLE: Closer and main arm

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: 11SMnPb30, 16MnCrS5, 16MnCr5, 46S20, 100Cr6, ETG100, Spring Steel, Scew Steel (8.8/10.9)

ALUMINUM (PRIMARY CASRN IS 7429-90-5)

ID: 477951-22-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-02-28

#: 11.43 GS: BM-1 RC: Both NANO: No ROLE: Slide channel and closer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: The hazards associated with aluminum are dependent upon the form in which aluminum is provided. As aluminum is inert upon receipt by dormakaba and unlikely to leach from the product into the environment, the risk of exposure to aluminum components is negligible and the listed hazards can be deemed irrelevant to the end-user.

EN AW6060, EN AW5754/AlMg3, EN AW5049/AlMg2Mn0,8

LUBRICATING OILS

ID: 74869-22-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-02-28**

#: **3.17** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Hydraulic fluid**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: Hydraulic fluid used to regulate door closing speed. Users operating the door are not exposed to the oil, which is fully contained by the metal encasement of the closer. As such, the actual risks associated with the closer's installation and use in a building are minimal and the listed hazards can be deemed irrelevant to the end-user.

PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT

ID: 937182-60-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-02-28**

#: **1.96** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Closer and slide channel**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: -

BRASS

ID: 12597-71-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-02-28**%: **1.80**GS: **NoGS**RC: **Both**NANO: **No**ROLE: **Closer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: -

ZINC

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-02-28**%: **0.15**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Slide channel**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ACUTE AQUATIC**EU - GHS (H-Statements)****H400 - Very toxic to aquatic life****CHRON AQUATIC****EU - GHS (H-Statements)****H410 - Very toxic to aquatic life with long lasting effects****PHYSICAL HAZARD (REACTIVE)****EU - GHS (H-Statements)****H250 - Catches fire spontaneously if exposed to air****PHYSICAL HAZARD (REACTIVE)****EU - GHS (H-Statements)****H260 - In contact with water releases flammable gases which may ignite spontaneously****ENDOCRINE****TEDX - Potential Endocrine Disruptors****Potential Endocrine Disruptor****MULTIPLE****German FEA - Substances Hazardous to Waters****Class 2 - Hazard to Waters**

SUBSTANCE NOTES: Die-cast closer components. The hazards associated with zinc are dependent upon the form in which zinc is provided. As zinc is inert upon receipt by dormakaba and unlikely to leach from the closer into the environment, the risk of exposure to zinc components is negligible and the listed hazards can be deemed irrelevant to the end-user.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-03-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **This HPD is for a product that is NOT liquid/wet applied.**

04

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

LCA

Environmental Product Declaration (EPD) by IBU

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **dormakaba Ennepetal, Germany**

CERTIFICATE URL:

<https://www.dormakaba.com/resource/blob/1084962/a823c2e8b72780809e305ac367464929/epd-ts-98-xea-en-data.pdf>

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2019-12-06	2024-12-04	Institut Bauen und Umwelt e.V. (IBU)

CERTIFICATION AND COMPLIANCE NOTES: **Environmental Product Declaration**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

dormakaba has resulted from the merger of the two well-established brands Dorma and Kaba, both known for their expertise in the area of smart and secure access solutions. Together we stand for more than 150 years of security and reliability. Our master brand dormakaba stands for our offering of products, solutions and services for secure access to buildings and rooms from a single source. Our global brand power supports us to become the trusted industry leader. For more information, please go to: www.dormakaba.com. The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein. dormakaba **DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT**

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT. All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.

MANUFACTURER INFORMATION

MANUFACTURER: **dormakaba**ADDRESS: **Hofwissenstrasse 24****Rümlang ZH 8153, Switzerland**WEBSITE: **www.dormakaba.com**CONTACT NAME: **Melanie Schaumann**TITLE: **Manager Sustainable Projects**PHONE: **+41 44 818 91 11**EMAIL: **sustainability@dormakaba.com****KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet**Hazard Types****AQU** Aquatic toxicity**CAN** Cancer**DEV** Developmental toxicity**END** Endocrine activity**EYE** Eye irritation/corrosivity**GEN** Gene mutation**GLO** Global warming**MAM** Mammalian/systemic/organ toxicity**MUL** Multiple hazards**NEU** Neurotoxicity**OZO** Ozone depletion**PBT** Persistent Bioaccumulative Toxic**PHY** Physical Hazard (reactive)**REP** Reproductive toxicity**RES** Respiratory sensitization**SKI** Skin sensitization/irritation/corrosivity**LAN** Land Toxicity**NF** Not found on Priority Hazard Lists**GreenScreen (GS)****BM-4** Benchmark 4 (prefer-safer chemical)**BM-3** Benchmark 3 (use but still opportunity for improvement)**BM-2** Benchmark 2 (use but search for safer substitutes)**BM-1** Benchmark 1 (avoid - chemical of high concern)**BM-U** Benchmark Unspecified (insufficient data to benchmark)**LT-P1** List Translator Possible Benchmark 1**LT-1** List Translator Likely Benchmark 1**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)**NoGS** Unknown (no data on List Translator Lists)**Recycled Types****PreC** Preconsumer (Post-Industrial)**PostC** Postconsumer**Both** Both Preconsumer and Postconsumer**Unk** Inclusion of recycled content is unknown**None** Does not include recycled content**Other Terms****Inventory Methods:****Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product**Nano** Composed of nano scale particles or nanotechnology**Third Party Verified** Verification by independent certifier approved by HPDC**Preparer** Third party preparer, if not self-prepared by manufacturer**Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.