Door closer TS 98 XEA including slide channel GN by dormakaba

Health Product Declaration v2.3

Yes ○ No.

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 31879 CLASSIFICATION: 08 71 00 Door Hardware

PRODUCT DESCRIPTION: The centerpiece of the TS 98 XEA slide channel door closer system is the heart shaped cam. Together with the innovative, hydraulic functions, the TS 98 XEA system's unique Cam Action Technology makes it very comfortable to pass through the door. The door closer system in XEA design can be used for all installation types. As a result, the number of product variants and complexity in installation is reduced while simultaneously increasing flexibility at the construction site. A further plus point are three different closing ranges. The door closer has a standard delayed closing and backcheck. Adjustments are easily made from the front. Door widths up to 1,400 mm are covered. TS 98 XEA is usable down to 40°C.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

⊙ 100 ppm

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

Partially Completed

O Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Provided weight and role.

Screened Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No.

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

DOOR CLOSER TS 98 XEA INCLUDING SLIDE CHANNEL GN [IRON LT-P1 | END STEEL NoGS ALUMINUM BM-1 | END | MAM | PHY LUBRICATING OILS LT-1 | CAN | PBT | MUL PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN

SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND

INDIFFERENT NoGS BRASS NoGS ZINC LT-P1 | END | MUL | PHY | AQU]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-

P1, BM-1, LT-1 Nanomaterial ... No

VOC emissions

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listinas

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero

LCA: Environmental Product Declaration (EPD) by IBU (Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)

CONSISTENCY WITH OTHER PROGRAMS


Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes O No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2023-03-24** PUBLISHED DATE: 2023-03-24 EXPIRY DATE: 2026-03-24



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

DOOR CLOSER TS 98 XEA INCLUDING SLIDE CHANNEL GN

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

IRON ID: 7439-89-6 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-24 6:24:23 %: 44.0500 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Hardware HAZARD TYPE LIST NAME AND SOURCE WARNINGS **END TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Door closer TS 98 XEA including slide channel GN (Closer - Grey cast iron)

STEEL ID: 12597-69-2 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-24 6:24:24 %: 37.2900 GreenScreen: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Hardware **HAZARD TYPE** LIST NAME AND SOURCE WARNINGS No warnings found on HPD Priority Hazard Lists None found ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** No listings found on Additional Hazard Lists None found SUBSTANCE NOTES: Door closer TS 98 XEA including slide channel GN (Closer and main arm)

ALUMINUM

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-24 6:24:25

%: 11.4300 GreenScreen: BM-1 RC: UNK NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
PHY	GHS - New Zealand	Flammable solids category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Door closer TS 98 XEA including slide channel GN (Slide channel and closer)

LUBRICATING OILS			ID: 74869-22-	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SC		HAZARD SCF	REENING DATE: 2023-03-24 6:24:25	
%: 3.1700	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - REACH Annex XVII CMR:	s	-	egory 2 - Substances which should be ney are Carcinogenic to man
CAN	EU - Annex VI CMRs		Carcinogen Cate animal evidence	egory 1B - Presumed Carcinogen based on
PBT	EC - CEPA DSL		Persistent, Bioachumans	ccumulative and inherently Toxic (PBiTH) to
MUL	ChemSec - SIN List		CMR - Carcinog	en, Mutagen &/or Reproductive Toxicant
CAN	GHS - Australia		H350 - May caus 1B]	se cancer [Carcinogenicity - Category 1A or
CAN	EU - GHS (H-Statements) Ann	ex 6 Table 3-1	H350 - May caus	se cancer [Carcinogenicity - Category 1A or

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products

PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED,

INSOLUBLE IN WATER AND INDIFFERENT

SUBSTANCE NOTES: Door closer TS 98 XEA including slide channel GN (Hydraulic fluid)

ID: 937182-60-0

HAZARD DATA SOURC	E: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-03-24 6:24:26
%: 1.9600	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			1	No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	S LIST NAME AND SOURCE		NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:	Door closer TS 98 XEA including slide chann	el GN (Closer a	and slide channel)	

BRASS ID: 12597-71-6 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-24 6:24:24 SUBSTANCE ROLE: Hardware %: 1.8000 GreenScreen: NoGS RC: UNK NANO: No WARNINGS **HAZARD TYPE** LIST NAME AND SOURCE None found No warnings found on HPD Priority Hazard Lists **NOTIFICATION** ADDITIONAL LISTINGS LIST NAME AND SOURCE No listings found on Additional Hazard Lists None found SUBSTANCE NOTES: Door closer TS 98 XEA including slide channel GN (Closer)

 ZINC

 HAZARD DATA SOURCE:
 Pharos Chemical and Materials Library
 HAZARD SCREENING DATE:
 2023-03-24 6:24:25

 %: 0.1500 - 0.3000
 GreenScreen: LT-P1
 RC: UNK
 NANO: No
 SUBSTANCE ROLE: Hardware

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
PHY	GHS - New Zealand	Self-heating substances and mixtures category 1
PHY	GHS - New Zealand	Substances and mixtures which, in contact with water, emit flammable gases category 1
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Door closer TS 98 XEA including slide channel GN (Closer)



This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: This HPD is for a product that is

NOT liquid/wet applied.

CERTIFICATE URL:

LCA

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2023-02-24

EXPIRY DATE:

CERTIFIER OR LAB: None

Environmental Product Declaration (EPD) by

IBU

ISSUE

DATE:

(Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Ennepetal, Germany

CERTIFICATE URL:

https://assets.net/y0dk4vkszqeh/4f05F4EhTgyhArHpxVJWYm/12ba74b430a3df060ee54069001d51cd/TS98XEA_EN.pdf

DATE: 2024-12-04

2019-Environmental 12-05 Product EXPIRY Declaration (EPD) by Institut Bauen

CERTIFIER

OR LAB:

und Umwelt e.V. (IBU)

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

Section 5: General Notes

The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein.

dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.

MANUFACTURER INFORMATION

MANUFACTURER: dormakaba ADDRESS: Hofwisenstrasse 24 Rümlang ZH 8153, Switzerland WEBSITE: www.dormakaba.com CONTACT NAME: https://www.dormakabagroup.com/en/contact

TITLE: -PHONE: -

EMAIL: sustainability@dormakaba.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity **CAN** Cancer **DEV** Developmental toxicity

END Endocrine activity EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple **NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.