

Cencon Cash vault security system

Key Figures

Lifetime per unit: 7 years

Weight per unit: 1.0 kg

Production location: Nogales, Mexico

Production standards


Quality	Environmental	Occupational Health & Safety	Energy	Produced with green electricity
ISO 9001 certified				

Product declarations

Environmental Product Declaration	Health Product Declaration	Building Product Declaration	SuPIM Data Sheet
✓			


Material used (%)

■ Zinc ■ Plastic ■ Electronic ■ Steel
■ Stainless steel ■ Other ■ Paper



The GWP¹ across the life cycle is 12 kg CO₂e

This is similar to the CO₂ produced from a road trip with a diesel mid-range car from Ennepetal to Dortmund airport



¹ Carbon dioxide equivalent (CO₂e) is the universal unit of measurement to indicate the global warming potential (GWP) of each of the six greenhouse gases, expressed in terms of the GWP of one unit of carbon dioxide. It is used to evaluate releasing (or avoiding releasing) different greenhouse gases against a common basis.



Scan the QR code or click here for more information about sustainability



Scan the QR code or click here for more information about our sustainability product declaration.



Description

The Cencon ATM Cash Vault Security System from dormakaba is designed to combat insider theft from ATMs through the combined use of lock hardware, systems software and Smart Keys™. Cencon offers total access control and accountability with its One Time Combination™ feature. The One Time Combination is dispatched from a central location and cannot be reused at a later date, thus eliminating temptation.

Total Global Warming Potential per life cycle stage (kg CO₂e)

