


SARS-CoV-2 (COVID-19)

Overview













SARS-CoV-2 is a novel coronavirus that is responsible for causing the COVID-19 infection. First reported in Wuhan, China in late 2019, the outbreak quickly spread throughout the world. The World Health Organization declared the novel coronavirus a pandemic on March 11, 2020. COVID-19 most often causes respiratory symptoms that can feel much like a cold, the flu, or pneumonia.¹ Most people infected have mild symptoms, but some people, especially older adults and those with underlying medical conditions, can become severely ill. COVID-19 is very contagious and can spread quickly as droplets and very small particles containing the virus are breathed out by an infected person.¹ COVID-19 is a leading cause of death in the U.S. and over one million people having died.¹

About the Pathogen & Infection Control Measures

Infectious Agent (Pathogen)^{2,3}	Agent Type: Virus Taxonomy: ▶ Family: Coronaviridae ▶ Genus: <i>Betacoronavirus</i>	▶ Species: Severe acute respiratory syndrome coronavirus (SARS), designated SARS-CoV-2 ▶ Strain: Alpha, Beta, Delta, and Omicron Synonym(s): COVID-19 Characteristics: enveloped virus, constantly mutating resulting in new strains or variants of the virus
Infectious Characteristics Definitions: ▶ Incubation period—the time from exposure to infection with symptoms. ▶ Period of communicability—time when a pathogen can be transmitted from one person to another. ▶ Mortality rate—the number of deaths due to a disease divided by the total population.	Risk factors for severe infection:¹ Incubation period:⁴ Period of communicability:⁵ Signs & symptoms:⁶ Duration of illness:¹ Severity of illness and Mortality Rate:⁷	▶ Older adults (65+ years old) ▶ Immunocompromised individuals ▶ Individuals with disabilities or chronic medical conditions 2–14 days with an average of ~6 days. From 2 days before symptom onset to ~10 days afterward. This includes people without symptoms. Immunocompromised persons can remain infectious up to 20 days. Many people will have no symptoms. Those with symptoms may experience: ▶ Fever, chills ▶ Cough ▶ Shortness of breath or difficulty breathing ▶ Fatigue ▶ Muscle aches ▶ Headache ▶ New loss of taste or smell ▶ Congestion, runny nose ▶ Sore throat ▶ Nausea, vomiting, diarrhea ▶ Skin rashes Typical infection resolves within a few days to a week; however, some develop post-COVID conditions known as “Long COVID” which can last for weeks, months, or even years after infection. Disease can range from no symptoms (asymptomatic) to severe. The mortality rate is approximately 1.1%.
Mode(s) of Transmission¹ How the Infection Spreads	Droplet and Contact: Primarily through breathing in small droplets or particles that contain the virus, or when they land on eyes, nose or mouth through splashes, sprays-like coughs, or sneezes. Indirect transmission occurs less frequently from contact with respiratory secretions or contaminated surfaces, followed by touching eyes, nose or mouth.	
Survival on Surfaces⁸	4 hours to 8 days	
Immunization/ Prophylaxis/Treatment⁹	Vaccination is available and recommended for prevention of illness and severe disease. Over-the-counter medications and antiviral treatments can help to treat mild to moderate infections.	
Infection Control Measures	General Measures For All Spaces (commercial buildings, K–12 schools, healthcare): ^{10,11} ▶ Get vaccinated and stay up to date on COVID-19 vaccines. ▶ Wear masks indoors in areas where transmission is high or if symptomatic. High risk individuals and those traveling should also consider masking. ▶ Perform frequent hand hygiene by washing hands with soap and water or using alcohol-based hand sanitizer. ▶ Practice respiratory hygiene and cough etiquette (e.g., covering coughs and sneezes). ▶ Stay home when ill. Encourage those who are sick to stay home and limit contact with others. Develop non-punitive sick leave policies. ▶ Improve building ventilation.	Healthcare-Specific Measures:¹² ▶ Isolation Precautions: Place patient with suspected or confirmed infection in a single-person room and keep door closed. Cohorting COVID-19 patients is acceptable but consider presence of MDROs or other communicable disease status. Use Contact and Droplet precautions until symptoms resolve or until they meet the specific criteria to end isolation. ▶ PPE: Respirator (N95 or higher), gown, gloves, and eye protection (i.e., goggles or a face shield that covers the front and sides of the face). ▶ Patient Transport: Limit transport and movement of patient. Patient should wear a well-fitting mask and the transporter’s PPE should be in accordance with facility policy. ▶ Linens: Per routine. ▶ Waste management: Per routine. ▶ Other: Aerosol-Generating Procedures (AGPs) should be performed cautiously (in an airborne isolation room, if possible) and avoided if appropriate alternatives exist.
Cleaning & Disinfection¹³	Perform regular cleaning and disinfection of high-touch surfaces and objects using an EPA-registered disinfectant approved for use against SARS-CoV-2, such as products listed on EPA List N.	

Clorox Product Recommendations

The following CloroxPro cleaner-disinfectants can be used to effectively manage SARS-CoV-2 on environmental surfaces and equipment.

Products for use against SARS-CoV-2	EPA Reg. No.	SARS-CoV-2 contact time
<p>Clorox Clorox EcoClean Disinfecting Cleaner and Refill</p> <p>Item No. 60213 32 fl. oz. Spray 9/case Item No. 60094 128 fl. oz. Refill 4/case</p> 	67619-45	30 seconds
<p>CloroxPro EcoClean Disinfecting Cleaner Wipes</p> <p>Item No. 60605 75 ct. Canister 6/case</p> 	67619-48	5 minutes
<p>CloroxPro Clorox Germicidal Bleach</p> <p>Item No. 30966 121 fl. oz. Bottle 3/case</p> 	67619-32	5 minutes
<p>CloroxPro Clean-Up Disinfectant Cleaner with Bleach</p> <p>Item No. 35417 32 fl. oz. Spray 9/case Item No. 35420 128 fl. oz. Refill 4/case</p> 	67619-17	30 seconds
<p>CloroxPro Clorox Disinfecting Wipes</p> <p>Item No. 15949 75 ct. Canister 6/case Fresh Scent Item No. 15948 75 ct. Canister 6/case Lemon Scent Item No. 31547 700 ct. Bucket 1/case Fresh Scent Item No. 31428 700 ct. Bucket Refill 2/case Fresh Scent</p> 	67619-31	15 seconds
<p>CloroxPro Clorox Disinfecting Bio Stain & Odor Remover</p> <p>Item No. 38504 19 fl. oz. Aerosol Spray 12/case Item No. 38504 19 fl. oz. Aerosol Spray 12/case</p> 	67619-33	30 seconds
<p>Clorox Healthcare Bleach Germicidal Wipes</p> <p>Item No. 30577 6" x 5" 150 ct. Canister 6/case Item No. 35309 6.75" x 9" 70 ct. Canister 6/case Item No. 32621 6.75" x 9" 100 ct. Softpack 9/case Item No. 31424 12" x 12" 50 ct. Carton 6/case Item No. 30358 12" x 12" 110 ct. Bucket 2/case Item No. 30359 12" x 12" 110 ct. Bucket Refill 2/case</p> 	67619-12	1 minute
<p>Clorox Healthcare VersaSure Cleaner Disinfectant Wipes</p> <p>Item No. 31757 6.75" x 8" 85 ct. Canister 6/case Item No. 31758 6" x 5" 150 ct. Canister 6/case Item No. 31759 12" x 12" 110 ct. Bucket 2/case Item No. 31761 12" x 12" 110 ct. Bucket Refill 2/case</p> 	56392-7	1 minute
<p>Clorox Healthcare Hydrogen Peroxide Cleaner Disinfectant Wipes</p> <p>Item No. 30824 6.75" x 9" 95 ct. Canister 6/case Item No. 30825 6.75" x 5.75" 155 ct. Canister 6/case Item No. 30826 12" x 11" 185 ct. Bucket 2/case Item No. 30827 12" x 11" 185 ct. Bucket Refill 2/case</p> 	67619-25	30 seconds
<p>Clorox Healthcare Fuzion Cleaner Disinfectant</p> <p>Item No. 31478 32 fl. oz. Spray 9/case</p> 	67619-30	1 minute

References:

1. CDC. About COVID-19 [Internet]. 2024 [cited 204 Sept 4]. Available from: <https://www.cdc.gov/covid/about>
2. Coronaviridae Study Group of the International Committee on Taxonomy of Viruses. The species severe acute respiratory syndrome-related coronavirus: classifying 2019-nCoV and naming it SARS-CoV-2. Nat Microbiol [Internet]. 2020 [cited 2023 Aug 4];5(4):536–44. Available from: <https://www.nature.com/articles/s41564-020-0695-z>
3. Katella K. Omicron, delta, alpha, and more: What to know about the Coronavirus variants [Internet]. Yale Medicine. 2023 [cited 2023 Aug 4]. Available from: <https://www.yalemedicine.org/news/covid-19-variants-of-concern-omicron>
4. Men K, Li Y, Wang X, Zhang G, Hu J, Gao Y, et al. Estimate the incubation period of coronavirus 2019 (COVID-19). Comput Biol Med [Internet]. 2023 [cited 2023 Aug 4];158(106794):106794. Available from: <http://dx.doi.org/10.1016/j.compbio.2023.106794>
5. CDC. CDC Yellow Book 2024 - COVID-19 [Internet]. 2024 [cited 2024 Sept 4]. Available from: <https://wwwnc.cdc.gov/travel/yellowbook/2024/infections-diseases/covid-19>
6. CDC. Symptoms of COVID-19 [Internet]. 2024 [cited 2024 Sept 4]. Available from: <https://www.cdc.gov/covid/signs-symptoms>
7. Mortality analyses [Internet]. Johns Hopkins Coronavirus Resource Center. [cited 2023 Aug 4]. Available from: <https://coronavirus.jhu.edu/data/mortality>
8. Wißmann, J. E., Kirchhoff, L., Brüggemann, Y., et al. (2021). Persistence of pathogens on inanimate surfaces: A narrative review. Microorganisms, 9(2), 343.
9. CDC. Types of COVID-19 Treatment [Internet]. 2024 [cited 2023 Jun 22]. Available from: <https://www.cdc.gov/covid/treatment>
10. CDC. How to protect yourself and others [Internet]. 2024 [cited 2024 Sept 4]. Available from: <https://www.cdc.gov/covid/prevention>
11. CDC. Community Respirators and Masks [Internet]. 2023 [cited 2024 Sept 4]. Available from: <https://www.cdc.gov/niosh/topics/publicppe/community-ppe.html>
12. CDC. Infection Control Guidance: SARS-CoV-2 [Internet]. 2024 [cited 2024 Sept 4]. Available from: <https://www.cdc.gov/covid/hcp/infection-control>
13. CDC. Safety Precautions: Cleaning and Disinfecting for COVID-19 [Internet]. 2024 [cited 2024 Sept 6]. Available from: <https://www.cdc.gov/covid/php/public-health-strategy/index.htm>



For product resources and implementation tools, contact your Clorox sales representative, call 800-492-9729 or visit www.CloroxPro.com

© 2024 Clorox Professional Products Company, 1221 Broadway, Oakland, CA 94612