eurotech

A RAYNOR GROUP COMPANY

# ADAPT-STL

## ASSEMBLY INSTRUCTIONS
## OPERATING INSTRUCTIONS
## WARRANTY








CUSTOMER SERVICE: parts@raynorgroup.com
CUSTOMER SERVICE: 1-800-637-0005
www.eurotechseating.com

# ASSEMBLY INSTRUCTIONS
# ADAPT-STL

Remove all items from the carton. Verify all pieces before assembly.

## PARTS LIST

| Key | Description | Part | Qty. | Spare |
|---|---|---|---|---|
| A | Backrest |  | 1 pc | |
| B | Seat Cushion with Armrests |  | 1 pc | |
| C | Gas Lift |  | 1 pc | |
| D | Base with Castors |  | 1 pc | |
| E | Footrest |  | 1 pc | |
| F1 | Back Screws M8*16mm, Blue |  | 4 pcs | 1pc |
| F2 | Back Screws 5*16mm |  | 1 pcs | 1pc |
| G | Allen Wrench |  | 1 pc | |


### PREVENITIVE FACINTENANUE AND WARNING!

- USE THIS PRODUCT ONLY FOR SEATING ONE PERSON AT A TIME.
- DO NOT USE THIS CHAIR AS A STEP STOOL / LADDER.
- DO NOT SIT ON ANY PART OF THE CHAIR EXCEPT THE SEAT.
- DO NOT USE CHAIR ON UNEVEN FLOOR SURFACES.
- DO NOT USE CHAIR UNLESS ALL BOLTS, SCREWS AND KNOBS ARE TIGHTENED.
- EVERY SIX MONTHS, PLEASE MAKE SURE ALL BOLTS, SCREWS AND KNOBS ARE FULLY TIGHTENED TO ENSUFE STABILITY.
- IF ANY PARTS ARE MISSING, BROKEN, DAMAGED OR WORN, STOP USE OF THE PRODUCT UNTIL REPAIRS ARE MADE USING FACTORY AUTHORIZED PARTS.
- DISPOSE OF PACKAGING PROPERLY. PLASTIC BAG IS NOT A TOY. DO NOT USE PLASTIC BAG AS HEAD COVERING — IT MAY CAUSE SUFFOCATION.
- FAILURE TO FOLLOW THESE WARNINGS COULD RESULT IN SERIOUS INJURY.
- NOTE: SOME SCREWS MAY BE PREASSEMBLED. IF PREASSBABLED, IGNORE ASSEMBLY INSTRUCTIONS.

# ASSEMBLY INSTRUCTIONS
# ADAPT-STL


Remove all items from the carton. Verify all pieces before assembly.

**STEP 1**





Turn the Star Base (D) upright and insert Gas Lift (C) into the center hole of Star Base (D). Place the footrest (E) on the gas lift (C).

**STEP 2**




Assemble Backrest (A) to Seat Cushion (B) and secure in place using 5 Back Screws (F1 and F2) as shown. Tighten the screws fully with Allen Wrench (G).

**STEP 3**





Turn assembled seat upright and locate central hole below Seat Cushion (B) over Gas Lift (C). Push down firmly until connection is secure.

## PREVENITIVE FACINTENANUE AND WARNING!

- USE THIS PRODUCT ONLY FOR SEATING ONE PERSON AT A TIME.
- DO NOT USE THIS CHAIR AS A STEP STOOL / LADDER.
- DO NOT SIT ON ANY PART OF THE CHAIR EXCEPT THE SEAT.
- DO NOT USE CHAIR ON UNEVEN FLOOR SURFACES.
- DO NOT USE CHAIR UNLESS ALL BOLTS, SCREWS AND KNOBS ARE TIGHTENED.
- EVERY SIX MONTHS, PLEASE MAKE SURE ALL BOLTS, SCREWS AND KNOBS ARE FULLY TIGHTENED TO ENSUFE STABILITY.
- IF ANY PARTS ARE MISSING, BROKEN, DAMAGED OR WORN, STOP USE OF THE PRODUCT UNTIL REPAIRS ARE MADE USING FACTORY AUTHORIZED PARTS.
- DISPOSE OF PACKAGING PROPERLY. PLASTIC BAG IS NOT A TOY. DO NOT USE PLASTIC BAG AS HEAD COVERING — IT MAY CAUSE SUFFOCATION.
- FAILURE TO FOLLOW THESE WARNINGS COULD RESULT IN SERIOUS INJURY.
- NOTE: SOME SCREWS MAY BE PREASSEMBLED. IF PREASSBABLED, IGNORE ASSEMBLY INSTRUCTIONS.

# OPERATING INSTRUCTIONS
# ADAPT-STL


A SEAT HEIGHT ADJUSTMENT



C 360° SWIVEL



B FOOTREST HEIGHT ADJUSTMENT



**A TO ADJUST SEAT HEIGHT**

While seated, lean forward, lifting your body weight from the seat. Reach underneath the right side of chair and locate the lever. Pull the lever upwards slowly to allow the chair to rise to the dosired height. To lower seat height, lift the lever slowly while seated.

**B TO ADJUST FOOTREST HEIGHT**


Loosen footrest knob and raise or lower the footrest (E) to the desired height. Tighten knob to secure footrest in the desired position.

**C 360° SWIVEL**


Your chair can rotate around 360°.

# OPERATING INSTRUCTIONS
# ADAPT-STL


D ARMREST HEIGHT ADJUSTMENT



E ARM PAD DEPTH ADJUSTMENT



F ARM PAD WIDTH ADJUSTMENT



**D TO ADJUST ARMREST HEIGHT**

To adjust armrests, pull upwards/downwards while holding down the lock release button located on the front side of the armrest.

**E TO ADJUST ARM-PADS DEPTH**

To adjust arm-pads depth press the button located on the inner side of pads and move the pads to a desired position.

**F TO ADJUST ARM-PADS WIDTH**

To adjust arm-pads width press the button located on the inner side pads and move the pads to a desired position.

# OUR PROMISE.

They say with age comes wisdom. And while we've learned a lot since we sold our first office chair in 1979, even then we knew that superior craftsmanship and design are essential ingredients in delivering real value for our customers. All these years later, those three simple pillars still stand behind our promise of exceptional seating with every chair we sell.

DESIGN CRAFTSMANSHIP VALUE

Eurotech. Sit Smarter.

---

# THE EUROTECH WARRANTY

- For all products except for 24/7 chairs (see below), Eurotech warrants to the original purchaser all components for the life of the product with the exception of upholstery and foam, which will be warranted for five years.
- For 24/7 chairs, Eurotech warrants to the original purchaser of all 24/7 and Big & Tall chairs all components for 5 years with the exception of upholstery and foam which will be warranted for 2 years.
- Eurotech warrants to the original purchaser that all parts will be free from material defects. Eurotech will repair or replace, at its option, any unaltered components.
- Eurotech does not warrant any aftermarket hardware that is installed on the product.
- Eurotech's warranty is limited to the normal use of the product in a forty hour work week and a 2751b. weight limit unless otherwise noted.
- Eurotech shall NOT be liable for consequential or incidental damage arising from any product defect.
- Eurotech's warranty is limited to replacement or repair and does not cover cost of transportation and labor. There are no other warranties expressed or implied other than those specifically described.
- Eurotech does not warrant customers own material.
- Eurotech warrants to the original purchaser with proof of purchase along with a copy of the receipt.
- Arm Pads are warranted for 2 years under normal wear and tear.
- Cylinder is warranted for 5 years.

This warranty is made as of 9/15/16. Please see http://www.eurotechseating.com/warranty-information for any updates and/or revisions to this warranty.