

Date of issue/ Date of revision : 10.02.2025
Date of previous issue : 20.02.2024
Version : 10.0



SAFETY DATA SHEET

YaraTeraCalcinit 15.5-0-0+26.3CaO

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : YaraTeraCalcinit 15.5-0-0+26.3CaO
UFI : KE32-P00Q-800V-1XX9

EC number : 239-289-5
REACH Registration number : 01-2119493947-16
CAS number : 15245-12-2
Product code : PA34OG
Product type : Solid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Industrial distribution. Industrial USE to formulate chemical product mixtures. Professional formulation of fertiliser products. Professional USE as fertiliser at Farm - loading and spreading. Professional USE as fertiliser in Greenhouse. Professional USE as liquid fertiliser in open field.

Uses advised against	: Other non-specified industry
Reason	: Due to lack of related experience or data, the supplier cannot approve this use.

1.3 Details of the supplier of the safety data sheet

Address : Yara Hellas S.A.
Street : Syngrou Avenue
Nea Smyrni
Number : 137
Postal code : 17121
City : Athens
Country : Greece

Telephone number : +30 210 9370355
Fax no. : +30 210 9370357
e-mail address of person responsible for this SDS : info.hellas@yara.com

1.4 Emergency telephone number

National advisory body/Poison Center

Name : национален център по токсикология/ National Toxicology Centre
Telephone number : +359 2 9154 233
Hours of operation : 24h

Supplier

Emergency telephone number (with hours of operation) : +30 2111 983 182 (7/24)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture.

Product definition : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification : Acute Tox. 4, H302
 Eye Dam. 1, H318

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
 H318 Causes serious eye damage.

Precautionary statements

Prevention : P280 Wear protective gloves and eye protection.
 P270 Do not eat, drink or smoke when using this product.
Response : P264-a Wash hands thoroughly after handling.
 P305 IF IN EYES:
 P351 Rinse cautiously with water for several minutes.
 P338 Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor/physician.

P301 IF SWALLOWED:
P312 Call a POISON CENTER or
doctor/physician if you feel unwell.
P330 Rinse mouth.

EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII
- Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings : Not applicable.
Tactile warning of danger : Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII :

PBT	P	B	T	vPvB	vP	vB
Not applicable (Inorganic)	N/A	N/A	N/A	Not applicable (Inorganic)	N/A	N/A

Other hazards which do not result in classification : None known.
Additional information : Product forms slippery surface when combined with water.

SECTION 3: Composition/information on ingredients

3.1 Substances : Mono-constituent substance

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Type
nitric acid, ammonium calcium salt	REACH #: 01-2119493947-16 EC : 239-289-5 CAS : 15245-12-2	100	Acute Tox. 4, H302 Eye Dam. 1, H318	ATE [Oral] = 500 mg/kg	[1]

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Check for and remove any contact lenses. Get medical attention immediately.
- Inhalation** : If inhaled, remove to fresh air. Get medical attention immediately. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus.
- Skin contact** : Gently wash with plenty of soap and water. Do not rub affected area. Get medical attention if irritation develops.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if you feel unwell.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed**Over-exposure signs/symptoms**

- Eye contact** : Adverse symptoms may include the following: pain, watering, redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following: irritation, redness
- Ingestion** : Adverse symptoms may include the following: stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- Suitable extinguishing media** : Use flooding quantities of water for extinction.
- Unsuitable extinguishing media** : Do NOT use chemical extinguisher or foam or attempt to smother the fire with steam or sand.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : No specific fire or explosion hazard.

Hazardous combustion products : Decomposition products may include the following materials: nitrogen oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.

Remark : Non-flammable substance.

5.3 Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other : See Section 1 for emergency contact information.

sections

See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Not for human or animal consumption.

Protective measures : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

7.3 Specific end use(s)

Recommendations : Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters**Occupational exposure limits**

Remark : No exposure limit value known.

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures

- : Reference should be made to monitoring standards, such as the following:
European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy)
European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents)
European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents)
Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
nitric acid, ammonium calcium salt	DNEL	Short term Oral	10 mg/kg bw/day	General population [Consumers]	Systemic

PNECs

Product/ingredient name	Type	Compartment Detail	Value	Method Detail
nitric acid, ammonium calcium salt	PNEC	Sewage Treatment Plant	18 mg/l	Assessment Factors

8.2 Exposure controls**Appropriate engineering controls**

- : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures**Hygiene measures**

- : A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

Eye/face protection


- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Recommended: Tightly-fitting goggles, Europe:, CEN: EN166,

Skin protection**Hand protection**

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when

handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.

> 8 hours (breakthrough time): Viton®, neoprene

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : In case of inadequate ventilation wear respiratory protection.
Recommended
Filter P2
Europe:
EN 143
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Personal protective equipment (Pictograms)** : 

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

- Physical state** : Solid (granulates)
- Color** : White.,
- Odor** : Odorless.
- Melting point/freezing point** : 90 - 100 °C
- Initial boiling point and boiling range** : Not applicable.
- Flammability** : Non-flammable.
- Lower and upper explosion limit** : **Lower:** Not applicable.
Upper: Not applicable.
- Flash point** : Not applicable.

Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not applicable.
pH	: 5 - 7 [Conc.: 50 g/l]
Viscosity	: Kinematic: Not applicable.
Solubility(ies)	: Easily soluble in the following materials: cold water
Water solubility	: > 1.000 g/l
Partition coefficient: n-octanol/water	: Not applicable.
Vapor pressure	: Not applicable.
Relative vapour density	: Not applicable.
Bulk density	: 1.050 - 1.150 kg/m ³

Particle characteristics

Median particle size	: 3 mm
-----------------------------	--------

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties	: Non-explosive.
Oxidizing properties	: Non-oxidizer.

9.2.2 Other safety characteristics

No additional information.

SECTION 10: Stability and reactivity

<u>10.1 Reactivity</u>	: No specific test data related to reactivity available for this product or its ingredients.
<u>10.2 Chemical stability</u>	: The product is stable.
<u>10.3 Possibility of hazardous reactions</u>	: Under normal conditions of storage and use, hazardous reactions will not occur.
<u>10.4 Conditions to avoid</u>	: Avoid contamination by any source including metals, dust and organic materials.
<u>10.5 Incompatible materials</u>	: alkalis combustible materials, reducing materials, organic materials, Acids
<u>10.6 Hazardous decomposition products</u>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute toxicity**

Product/ingredient name	Method	Species	Result	Exposure
nitric acid, ammonium calcium salt				
	OECD 423 LD50 Oral	Rat	500 mg/kg	Not applicable.
	OECD 402 LD50 Dermal	Rat	2.000 mg/kg	Not applicable.

Conclusion/Summary : Harmful if swallowed.

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
nitric acid, ammonium calcium salt	500 mg/kg	N/A	N/A	N/A	N/A

Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure
nitric acid, ammonium calcium salt				
	OECD 405 Eyes	Rabbit	Damage	24 - 72 h

Conclusion/Summary

Skin : No known significant effects or critical hazards.
Eyes : Causes serious eye damage.
Respiratory : No known significant effects or critical hazards.

Sensitization**Conclusion/Summary**

Skin : Not sensitizing
Respiratory : Not determined.

Mutagenicity

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

Conclusion/Summary : No known significant effects or critical hazards.

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Inhalation** : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Ingestion** : Harmful if swallowed. May cause burns to mouth, throat and stomach.
- Skin contact** : No known significant effects or critical hazards.
- Eye contact** : Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

- Inhalation** : No specific data.
- Ingestion** : Adverse symptoms may include the following: stomach pains
- Skin contact** : Adverse symptoms may include the following: irritation, redness
- Eye contact** : Adverse symptoms may include the following: pain, watering, redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : No known significant effects or critical hazards.
- Potential delayed effects** : No known significant effects or critical hazards.

Long term exposure

- Potential immediate effects** : No known significant effects or critical hazards.
- Potential delayed effects** : No known significant effects or critical hazards.

Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure
nitric acid, ammonium calcium salt				
	OECD 407 Sub-acute NOAEL Oral	Rat	> 1.000 mg/kg	28 days

- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.
- Effects on or via lactation** : No known significant effects or critical hazards.
- Other effects** : No known significant effects or critical hazards.

Toxicokinetics

- Absorption** : Rapidly absorbed.
- Distribution** : Enters the systemic circulation without passing through

liver tissues.

Metabolism : Rapidly metabolized.
Metabolized to the following:
Ca²⁺
NH₄⁺
NO₃⁻

Elimination : Excreted via the urine.
The chemical and its metabolites are fully excreted and do not accumulate within the body.

11.2. Information on other hazards

11.2.1 Endocrine disrupting properties : There are no identified components in this substance/mixture with endocrine disrupting properties
11.2.2 Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Method	Species	Result	Exposure
nitric acid, ammonium calcium salt				
	Acute LC50 Fresh water	Fish	447 mg/l	48 h
	OECD 202 Acute EC50 Fresh water	Daphnia	> 100 mg/l	48 h
	OECD 201 Acute LC50 Fresh water	Algae	> 100 mg/l	72 h
	OECD 209 Acute EC50 Activated sludge	Activated sludge	> 1.000 mg/l	3 h

Conclusion/Summary : No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary : Readily biodegradable in plants and soils.

12.3 Bioaccumulative potential

Conclusion/Summary : No known significant effects or critical hazards.

12.4 Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Mobility : This product may move with surface or groundwater flows because its water solubility is: high

12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
-------------------------	-----	---	---	---	------	----	----

nitric acid, ammonium calcium salt	Not applicable (Inorganic)	N/A	N/A	N/A	Not applicable (Inorganic)	N/A	N/A
------------------------------------	----------------------------	-----	-----	-----	----------------------------	-----	-----

12.6 Endocrine disrupting properties : There are no identified components in this substance/mixture with endocrine disrupting properties

12.7 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Yes.

European waste catalogue (EWC)

Waste code	Waste designation
06 10 02*	wastes containing hazardous substances

Packaging

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Empty the bag by shaking to remove as much as possible of its contents. Empty bags may be disposed of as non-hazardous material or returned for recycling.

Special precautions : This material and its container must be disposed of in a safe way.
Care should be taken when handling emptied containers that have not been cleaned or rinsed out.
Empty containers or liners may retain some product residues.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	Not applicable.	Not applicable.	Not applicable.	Not applicable.
14.3 Transport hazard class(es)	Not applicable.	Not applicable.	Not applicable.	Not applicable.
14.4 Packing group	Not applicable.	Not applicable.	Not applicable.	Not applicable.
14.5. Environmental hazards	No.	No.	No.	No.

Additional information**14.6 Special precautions for user**

: Transport within user's premises: Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Proper shipping name : CALCIUM NITRATE FERTILIZER

Remarks : **Solid bulk cargoes**
Harmful to the marine environment with regard to MARPOL Annex V: No
Material is hazardous only in bulk according to the IMSBC: No
IMSBC shipping group: C

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**EU Regulation (EC) No. 1907/2006 (REACH)****Annex XIV - List of substances subject to authorization****Annex XIV**

None of the components are listed.

Substances of very high concern

None of the components are listed.

EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name	%	Designation [Usage]
nitric acid, ammonium calcium salt	100	65

Other EU regulations**Explosive precursors**

: This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and

thefts should be reported to the relevant national contact point.

Ozone depleting substances (1005/2009/EU)

None of the components are listed.

Prior Informed Consent (PIC) (649/2012/EU)

None of the components are listed.

Persistent Organic Pollutants

None of the components are listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

Biocidal products regulation : Not applicable.

Notes : To our knowledge no other country or state specific regulations are applicable.

15.2 Chemical Safety Assessment : Complete.

SECTION 16: Other information

Abbreviations and acronyms :

- ATE = Acute Toxicity Estimate
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- DNEL = Derived No Effect Level
- DMEL = Derived Minimal Effect Level
- EUH statement = CLP-specific Hazard statement
- N/A = Not available
- PNEC = Predicted No Effect Concentration
- RRN = REACH Registration Number
- SGG = Segregation Group
- PBT = Persistent, Bioaccumulative and Toxic
- vPvB = Very Persistent and Very Bioaccumulative
- bw = Body weight

Key data sources :

- EU REACH ECHA/IUCLID5 CSR.
- National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances.
- Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada.
- Regulation (EC) No 1272/2008 Annex VI.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Date of issue : 10.02.2025	Page:15/24

Acute Tox. 4, H302	Calculation method
Eye Dam. 1, H318	Calculation method

Full text of abbreviated H statements

H302	Harmful if swallowed.
H318	Causes serious eye damage.

Full text of classifications [CLP/GHS]

Acute Tox. 4	ACUTE TOXICITY - Category 4
Eye Dam. 1	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1

Revision comments : The following sections contain new and updated information: 1, UFI

Date of printing : 08.04.2025
Date of issue/ Date of revision : 10.02.2025
Date of previous issue : 20.02.2024
Version : 10.0
Prepared by : Product Stewardship and Compliance (PSC).

|| Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any material is the sole responsibility of the user.



**Annex to the extended Safety Data Sheet (eSDS) -
Exposure Scenario/Safe Use Information:**

Identification of the substance or mixture

Product definition : Mono-constituent substance

Product name : YaraTeraCalcinit 15.5-0-0+26.3CaO

Exposure Scenario/Safe Use Information : For each hazard resulting in classification relevant Exposure Scenarios are attached.



Annex to the extended Safety Data Sheet (eSDS) - Exposure Scenario:

Section 1 — Title

Short title of the exposure scenario : Yara - Nitric acid, ammonium calcium salt - Distribution, Formulation

Identified use name : Industrial distribution.
Industrial USE to formulate fertilisers product mixtures.
Industrial USE to formulate chemical product mixtures.
Formulation by incorporating the product onto or into a matrix.

Substance supplied to that use in form of : As such, In a mixture

List of use descriptors

Process Category : PROC01, PROC02, PROC03, PROC04, PROC05, PROC08a, PROC08b, PROC09,, PROC13, PROC14, PROC15, PROC19, PROC28

Environmental Release Category : ERC02, ERC03

Market sector by type of chemical product : PC01, PC04, PC09a, PC11, PC12, PC16, PC20, PC21, PC29, PC35, PC37, PC39, PC 0: Other: K15000, R30 200, H15100, PC 0: Other: UCN P15100, PC 0: Other: UCN K35000, O05990, O40000

Subsequent service life relevant for that use : No.

Number of the ES	: 08014-3/2018-08-06
-------------------------	----------------------

Section 2 — Exposure controls

Contributing scenario controlling environmental exposure for: All

This product is not classified according to EU legislation., As no environmental hazard was identified, no environmental-related exposure assessment and risk characterization was performed.

Contributing scenario controlling worker exposure for:

Product characteristics : Inorganic salt.

Concentration of substance in mixture or article : <= 100 %

Physical state : Solid.
Liquid.

Dust : Solid, low dustiness

Frequency and duration of use : Use duration (h/d): <= 8

Area of use: : Indoor

Ventilation control measures : Provide a basic standard of general ventilation (1 to 3 air changes per hour).

Conditions and measures related to personal protection and hygiene

Advice on general occupational hygiene : Pay attention to good general hygiene and housekeeping., Wash hands before breaks and after work., Do not eat, drink or smoke when using this product.

Personal protection : Wear suitable coveralls to prevent exposure to the skin., Chemical splash goggles or face shield.
Wear suitable gloves tested to EN374., breakthrough time: 480 min, Recommended, nitrile, butyl rubber, chloroprene rubber, See Section 8 of the safety data sheet (personal protective equipment).

Section 3 — Exposure estimation and reference to its source

Exposure estimation and reference to its source - Environment:

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers:

Exposure assessment (human): : Qualitative approach used to conclude safe use.

Exposure estimation and reference to its source : Oral exposure is not expected to occur.
Inhalation exposure is considered to be not relevant.
See Section 8 in SDS, DNEL.

Section 4 — Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Comply with the safety instructions., Risk management measures are based on qualitative risk characterisation.

Abbreviations and acronyms

Process Category : PROC01 - Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
PROC02 - Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC03 - Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC04 - Chemical production where opportunity for exposure arises
PROC05 - Mixing or blending in batch processes
PROC08a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC08b - Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC09 - Transfer of substance or mixture into small containers

	(dedicated filling line, including weighing) - Synthesis PROC13 - Treatment of articles by dipping and pouring PROC14 - Tableting, compression, extrusion, pelletization, granulation PROC15 - Use as laboratory reagent PROC19 - Manual activities involving hand contact PROC28 - Manual maintenance (cleaning and repair) of machinery
Environmental Release Category	: ERC02 - Formulation into mixture ERC03 - Formulation into solid matrix
Market sector by type of chemical product	: PC01 - Adhesives, sealants PC04 - Anti-freeze and de-icing products PC09a - Coatings and paints, thinners, paint removers PC11 - Explosives PC12 - Fertilizers PC16 - Heat transfer fluids PC20 - Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents PC21 - Laboratory chemicals PC29 - Pharmaceuticals PC35 - Washing and cleaning products PC37 - Water treatment chemicals PC39 - Cosmetics, personal care products PC 0: Other: K15000 - Coagulation agents R30 200 - Raw materials for production of glass and ceramics H15100 - Curing Agents - Concrete hardeners PC 0: Other: UCN P15100 - Accelerators PC 0: Other: UCN K35000 - Construction materials (building materials) O05990 - Drilling chemicals - Other drilling chemicals O40000 - Oxidizing agent.



Annex to the extended Safety Data Sheet (eSDS) - Exposure Scenario:

Section 1 — Title

Short title of the exposure scenario : Yara - Nitric acid, ammonium calcium salt - Professional, Fertilizer.

Identified use name : Professional formulation of fertiliser products.
Professional USE as fertiliser at Farm - loading and spreading.
Professional USE as fertiliser in Greenhouse.
Professional USE as liquid fertiliser in open field.
Professional USE as fertiliser - maintenance of equipment.

Substance supplied to that use in form of : As such, In a mixture

List of use descriptors

Process Category : PROC05, PROC08a, PROC08b, PROC09, PROC11, PROC13, PROC15, PROC19, PROC26

Environmental Release Category : ERC08b, ERC08e

Market sector by type of chemical product : PC12

Sector of end use : SU01, SU10

Subsequent service life relevant for that use : No.

Number of the ES : 08017-3/2018-08-06

Section 2 — Exposure controls

Contributing scenario controlling environmental exposure for: All

This product is not classified according to EU legislation., As no environmental hazard was identified, no environmental-related exposure assessment and risk characterization was performed.

Contributing scenario controlling worker exposure for:

Product characteristics : Inorganic salt.

Concentration of substance in mixture or article : <= 100 %

Physical state : Solid.
Liquid.

Dust	: Solid, low dustiness
Frequency and duration of use	: Use duration (h/d): <= 8
Area of use:	: Indoor, Outdoor
Ventilation control measures	: Provide a basic standard of general ventilation (1 to 3 air changes per hour)., No special ventilation requirements.
Conditions and measures related to personal protection and hygiene	
Advice on general occupational hygiene	: Pay attention to good general hygiene and housekeeping., Wash hands and face before breaks and immediately after handling the product., Do not eat, drink or smoke when using this product.
Personal protection	: Wear suitable coveralls to prevent exposure to the skin., Chemical splash goggles or face shield., Wear suitable gloves tested to EN374., butyl rubber, chloroprene rubber, nitrile, See Section 8 of the safety data sheet (personal protective equipment).

Section 3 — Exposure estimation and reference to its source

Exposure estimation and reference to its source - Workers:

Exposure assessment (human):	: Qualitative approach used to conclude safe use.
Exposure estimation and reference to its source	: Oral exposure is not expected to occur. Inhalation exposure is considered to be not relevant. See Section 8 in SDS, DNEL.

Section 4 — Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment	: Not applicable.
Health	: Comply with the safety instructions., Risk management measures are based on qualitative risk characterisation.

Abbreviations and acronyms

Process Category	: PROC05 - Mixing or blending in batch processes PROC08a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC08b - Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC09 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC11 - Non industrial spraying PROC13 - Treatment of articles by dipping and pouring PROC15 - Use as laboratory reagent PROC19 - Manual activities involving hand contact PROC26 - Handling of solid inorganic substances at ambient temperature
Environmental Release Category	: ERC08b - Widespread use of reactive processing aid (no inclusion into or onto article, indoor) ERC08e - Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)
Market sector by type of chemical product	: PC12 - Fertilizers
Sector of end use	: SU01 - Agriculture, forestry, fishery SU10 - Formulation [mixing] of preparations and/or re-packaging (excluding alloys)