


FLOYD

**Bed
Frame**


Components

Twin **Queen** **King**


4x **4x** **4x** **End supports**



2x **4x** **6x** **Middle supports**




6x **8x** **10x** **Cork pads**



2x **2x** **2x** **Tensioning straps**



2x **3x** **4x** **Panels**




1

Set up the panels & straps

Starting with one panel, slide end supports onto the panel. Then add middle supports. Place the next panel into the middle supports, and repeat until the last panel. Slide the two remaining end supports onto the panel.


Supports should be 18" (46 cm) from the ends of panels.



2

Thread the straps

Thread straps around supports, resting on notches. Make sure straps are not twisted and ratchets open towards you.




3


Secure the straps*

To complete your set up, tighten the straps!

*Turn two pages for strap removal.




A. To open ratchet all the way, pull up on the spring-loaded bar.




B. Feed strap through slot and pull until taut.

Note: If slot is in a different position than shown, rotate the cylinder by hand until it is at a 45° angle, or so you can easily feed the strap through the slot as shown.



C. Pull up on spring-loaded bar to close the ratchet.




D. Fully close ratchet and then crank back and forth until strap is tight.



4

All done!


**Don't be shy -
we'd love to see your
bed's new home!**

**@floyddetroit
#thefloydbed**






A. To open ratchet all the way, pull up on the spring loaded bar.



B. Keeping the spring loaded bar compressed, open ratchet all the way.



C. Pull strap until the strap is fully released.

Moving?

**We're here to help.
Follow these steps
to release your
ratchet straps.**

⚠ WARNING

ASSEMBLY:

Only assemble as shown in these instructions. Use extra precaution when assembling and have someone assist you. Do not change the specifications or modify this product. Incorrect assembly can cause product to fail and cause personal injury. If you are sourcing your own panels, do not use sensitive/fragile/unstable materials, such as glass.

USAGE:

Remove all packaging before first use. Only place The Platform Bed flat on the floor. Use only indoors. Use only an appropriately sized mattress. Disassemble before moving. Stay clear of underneath the bed when adjusting or moving the bed. The maximum weight limit is 600 lbs (272 kg). This total weight is counting person(s), mattress, bedding, and any other items on bed. Do not exceed this weight limit. Ensure that body weight is evenly distributed over the surface of the bed. Do not lie, sit or lean in such a way that your entire body weight is placed on the ends of the bed frame. Do not stand or jump on the bed or go under the bed. Keep open flames such as candles away from the wooden panels. Inspect tensioning straps and metal supports regularly for signs of wear. Replace if straps are damaged, cut, worn, or frayed or if metal parts are worn, bent, rusted, deformed, or damaged. Strap assemblies should never be tied into knots or allowed to become knotted. Straps are only meant for application with the Floyd Platform Bed. Failure to observe recommended practices such as loading beyond capacities can result in unsafe conditions and product damage or personal injury.

CHILDREN:

The Floyd Platform Bed is only intended for adults. Do not allow children to come in contact with or near the product. Keep all packaging and parts away from children. There is a risk of choking and suffocation.

CONTACT

Have a question,
comment, or suggestion?
Just want to say hi?

hello@floydhome.com

FLOYDHOME.COM

Visit the Floyd Shop

The Floyd Shop
1948 Division St. Suite 101
Detroit, MI 48207

FLOYD

FLOYDHOME.COM