



**MATERIAL SAFETY DATA SHEET FOR  
BOSS CLEANFIT ABRASIVE STRIP – 84650307 & 84650200**

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY**

<b>Product type:</b>	Abrasive Strip (medium grade)
<b>Intended use:</b>	Joint preparation
<b>Trade Name:</b>	BOSS CleanFit Abrasive Strip
<b>Supplier of product:</b>	The BSS Group Ltd
<b>Registered Office:</b>	Travis Perkins PLC, Lodge Way House, Lodge Way, Harlestone Road, Northampton NN5 7UG.
<b>Telephone/Fax Numbers:</b>	0116 245 5500 / 0116 218 2214
<b>E-mail Address</b>	reception@bssgroup.com
<b>Web site Address</b>	www.bssindustrial.co.uk

**2. HAZARD IDENTIFICATION**

<b>Physical hazard:</b>	Non hazardous
<b>Chemical hazard:</b>	Non hazardous

**3. COMPOSITION/INFORMATION ON INGREDIENTS.**

Alumino Silicate - Cured Pheonolic - Resin Nylon			
General Names	CAS#	Approx.%	OES
Fused Alumino Silicate	Not listed	60	10mg/club m
Cured Phenolic Resin	Not listed	20	10mg/club m

**4. FIRST AID MEASURES**

<b>Ingestion:</b>	no serious effects are expected if ingested
<b>Inhalation:</b>	in the case of dust inhalation, remove to fresh air. If problem persists, seek medical attention
<b>Skin Contact</b>	if irritation or rash is observed, seek medical advice
<b>Eye contact:</b>	irrigate with water. If discomfort persists seek medical attention

**5. FIRE FIGHTING MEASURES**

<b>Flammability:</b>	will readily ignite from small flame sources will burn when involved in a fire giving off smoke and toxic vapour
<b>Extinguishing media:</b>	carbon dioxide, water, dry power, foam
<b>Fire fighting procedures:</b>	wear suitable protective clothing and self contained breathing apparatus

**6. ACCIDENTAL RELEASE MEASURES**

Remove sources of ignition
----------------------------



## **7. HANDLING AND STORAGE:**

<b>Storage:</b>	keep away from source of ignition - No smoking
<b>Inhalation:</b>	cutting produce a nuisance dust
<b>Skin contact:</b>	avoid continuous unprotected handling
<b>Eyes:</b>	N/A

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

<b>Exposure Controls:</b>	use equipment to keep air below Occupational Exposure Standard (OES)
<b>Personal Protection:</b>	wear suitable gloves when continuously handling the product in a dusty environment Use of a suitable dust mask is recommended

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance and Colour:</b>	Maroon colour – abrasive fibrous mat – no odour
-------------------------------	---

## **10. STABILITY AND REACTIVITY**

<b>Stability:</b>	Very stable
<b>Reactivity:</b>	Inter under normal conditions of use
<b>Thermal Decomposition:</b>	Heat may cause release of Formaldehyde vapour

## **11. TOXICOLOGICAL INFORMATION**

Under normal conditions of use, harmful effects are not expected
--

## **12. ECOLOGICAL INFORMATION**

<b>Mobility:</b>	Solid	<b>Bioaccumulative Potential:</b>	Not tested
<b>Degradability:</b>	Not tested	<b>Aquaticity:</b>	Not tested

## **13. DISPOSAL CONSIDERATIONS**

<b>Waste Disposal Method:</b>	as a non toxic waste in accordance with local regulation removal to a landfill site. Should be undertaken by an authorised contractor
-------------------------------	---

## **14. TRANSPORT INFORMATION**

Not classified as hazardous under transport regulations
---

## **15. REGULATORY INFORMATION**

<b>EEC Hazard Classification:</b>	none
-----------------------------------	------



**16. OTHER INFORMATION**

None

**DISCLAIMER**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.